

Uddeholm Arne Stock Standard

Flat bar

Soft annealed/Unmachined

Soft annealed/Rough machined

Width mm	Thickness, mm																
	6	8	10	12	15	18	22	28	35	41	43	54	63,5	67	76,2	102	153
30		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>												
38	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>									
45	<input type="checkbox"/>				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>								
57	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							
69			<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>					
82						<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>			
86			<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>						
102																	
108		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>			
127																	
133			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>					
153																	<input checked="" type="checkbox"/>
158						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>							
166			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>					
203															<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
210					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>					
254													<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>
260					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>					

The stock standard might change without notice

Issue date
July, 2017
1 (4)

Uddeholm Arne Stock Standard

Square bar
Soft annealed/Unmachined £
Soft annealed/Rough machined n

mm	18	23	25,4	35	41	50,8	57	69	82	102	127	153
	£	£	£	£	£	£	£	£	£	n	n	n

Round bar
Soft annealed/Unmachined

mm	12,7	16	20	22	25,4	28	30	32	35	38	41	45
	o	o	o	o	o	o	o	o	o	o	o	o

Round bar
Soft annealed/Rough machined

mm	50	60	70	80	85	90	95	100	102	108	115	125
	•	•	•	•	•	•	•	•	•	•	•	•

mm	135	140	150	160	170	180	191	200	203	225	230	250	254	280	300	305	330	350
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

mm	400
	•

Round bar
Soft annealed/Precision machined

mm	4	5	6	7	8	9	10	11	12	13	14	15	16	18	20	22	25	28	30
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

Uddeholm Arne Stock Standard

Plate

Plate width: 1030 mm

Soft annealed plate/Unmachined

mm	10	12	15	18	22	28	35	43	54
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sawn bar

Soft annealed plate/Unmachined

Thickness	Width
According to plate thickness	Within plate width

Uddeholm Arne Stock Standard

Pre-machined

Tolerances: Thickness: +0.4/+0.65 mm Width: 0.4/+0.8 mm

Length: 1030 mm

Width mm	Thickness, mm									
	6	8	10	12	16	20	25	32	40	50
25		■		■						
32			■							
40			■	■	■	■				
50	■		■	■	■		■			
63			■	■	■	■	■	■		
80	■		■		■	■		■	■	
100	■	■	■		■	■	■	■		■
125			■	■	■	■	■	■		
160			■		■	■	■	■		
200					■	■		■		
250						■	■			
Square							n			n

Uddeholm Sleipner Stock Standard

Flat bar

Soft annealed/Unmachined

Soft annealed/Rough machined

mm	6	8	10	12	15	18	22	27	28	32	35	38	43	50,8	54	60	63,5	67	70	80	90	102	105	130	153	155	178	203	300				
30	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>																										
38				<input type="checkbox"/>																													
45	<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>																								
57		<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>				<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>																				
69					<input type="checkbox"/>		<input type="checkbox"/>				<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>																		
82																																	
86				<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>				<input type="checkbox"/>		<input type="checkbox"/>																				
108			<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>				<input type="checkbox"/>		<input checked="" type="checkbox"/>												
127																	<input checked="" type="checkbox"/>																
133					<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>							<input checked="" type="checkbox"/>											
153												<input type="checkbox"/>					<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>											
158							<input type="checkbox"/>				<input type="checkbox"/>				<input type="checkbox"/>																		
160																	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>											
166						<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>																		
203								<input type="checkbox"/>		<input type="checkbox"/>							<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>							
210									<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>												<input checked="" type="checkbox"/>						
250																					<input checked="" type="checkbox"/>												
254																	<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>							
260								<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>			<input type="checkbox"/>																		
305														<input checked="" type="checkbox"/>							<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			
407																							<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		
457																<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>											
510																				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>					
528																																<input checked="" type="checkbox"/>	
610																								<input checked="" type="checkbox"/>									

The stock standard might change without notice

Issue date
May, 2018
1 (3)

Uddeholm Sleipner Stock Standard

Square bar

Soft annealed/Unmachined €

Soft annealed/Rough machined n

mm	18	28	43	57	69	82	86	102	127	153	203	254
	€	€	€	€	€	€	€	n	n	n	n	n

Round bar

Soft annealed/Unmachined o

Soft annealed/Machined ●

mm	13	16	20	22	25,4	28	32	35	38	43	48	50	50,8	55	60	63,5	70	76,2	80	
	o	o	o	o	o	o	o	o	o	o	o	●	●	●	●	●	●	●	●	●

mm	90	95	100	108	120	127	140	150	160	170	180	200	203	225	250	270	280	290	
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

mm	300	320	330	356	380	400	460
	●	●	●	●	●	●	●

Plate

Soft annealed/Unmachined

Width: 1600-1750 mm *1100-1250 mm

mm	*4,2	*6	*8	10	13	16	19	22	25	27	30	32	35	38	43	54
	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□

Uddeholm Sleipner Stock Standard

Pre-machined

Tolerances: Thickness: +0.4/+0.65 mm Width: +0.4/+0.80 mm

Length: 1030 mm

Width mm	Thickness, mm																
	4	6	8	10	12	15	16	20	25	30	32	40	50	60	63	80	100
20			■		■	■											
25	■	■	■	■	■	■	■	■									
30		■		■		■			■								
32		■	■	■	■		■	■	■								
40		■	■	■	■	■	■	■	■	■	■						
50		■	■	■	■		■	■	■	■	■	■					
60		■	■						■	■		■					
63				■	■		■	■	■		■	■	■				
70												■	■				
80			■	■	■		■	■	■	■	■	■	■		■		
100		■	■	■	■		■	■	■		■	■	■	■	■	■	
125			■	■	■		■	■	■		■	■	■		■	■	
150			■					■	■	■	■	■	■				
160				■	■		■	■	■		■	■	■		■	■	■
175												■					
200			■	■	■		■	■	■	■	■	■	■		■	■	■
250				■	■		■	■	■	■	■	■	■	■	■	■	■
300								■	■		■	■	■				
315								■									
350												■					
400											■	■					
Square					n	n	n	n	n	n	n	n	n		n	n	

The stock standard might change without notice

Issue date
May, 2018
3 (3)

Uddeholm Sverker 21 Stock Standard

Flat bar

Soft annealed/Unmachined

Soft annealed/Rough machined

mm	6	8	10	12	15	18	22	28	35	40	43	50,8	54	63,5	67	76,2	80	88,9	101,6	102	114,3	127	152,4	153
30	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																			
45			<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>																
57	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>															
69				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>															
82							<input type="checkbox"/>	<input type="checkbox"/>					<input type="checkbox"/>		<input type="checkbox"/>									
86			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>													
102																<input checked="" type="checkbox"/>								
108			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
133					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>											
153														<input checked="" type="checkbox"/>							<input checked="" type="checkbox"/>			
158					<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>					<input type="checkbox"/>			<input checked="" type="checkbox"/>								
160																	<input checked="" type="checkbox"/>							
166						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>													
203														<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>
210							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>											
250																	<input checked="" type="checkbox"/>							
254														<input checked="" type="checkbox"/>							<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
260								<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>											
300										<input checked="" type="checkbox"/>														
304,8																			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
305												<input checked="" type="checkbox"/>												

The stock standard might change without notice

Issue date
May, 2018
1 (4)

Uddeholm Sverker 21 Stock Standard

Square bar

Soft annealed/Unmachined £

Soft annealed/Rough machined n

mm	28	35	41	43	57	69	82	86	102	127	153	203	254	304,8
	£	£	£	£	£	£	£	£	n	n	n	n	n	n

Round bar

Soft annealed/Unmachined o

Soft annealed/Rough machined ●

mm	12,7	20	22	25,4	28	32	35	38	41	43	45	50	50,8	55	57,2	60	63,5	70	76,2	80	
	o	o	o	o	o	o	o	o	o	o	o	●	●	●	●	●	●	●	●	●	●

mm	82,6	85	90	95	100	102	108	115	120	125	127	135	140	150	153	160	165	170	180	191	
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

mm	200	203	216	225	230	240	250	254	260	270	280	300	310	313	330	335	340	350	356	364	
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

mm	380	400	407	450	457	500
	●	●	●	●	●	●

Uddeholm Sverker 21 Stock Standard

Plates
Soft annealed/Unmachined
Width: 1030 mm

mm	10	12	15	18	22	28	35	43	54
	□	□	□	□	□	□	□	□	□

Hollow bar
Soft annealed

ID OD	50,8	152,4
115	○	
254		○
300		○

Sawn bar
Soft annealed/Unmachined

Thickness	Width
According to plate thickness	Within plate width

Uddeholm Sverker 21 Stock Standard

Pre-machined

Tolerances: Thickness: +0.4/+0.65 mm Width: +0.4/+0.80 mm

Length: 1030 mm

Width	6	8	10	12	16	20	25	32	40	50	60	63	80
25				■									
40		■				■							
50					■		■	■	■				
60									■				
63			■		■				■				
80		■		■	■	■	■		■	■			
100	■	■	■	■	■	■	■	■	■	■	■	■	
125			■		■	■	■	■	■	■			
150		■	■	■	■	■	■			■			
160					■	■	■	■	■				
200			■		■	■	■	■	■	■			
250					■	■	■	■	■	■	■		
300							■			■			
315						■							
Square							n		n	n			n

Uddeholm Caldie Stock Standard

Flat bar

Soft annealed/Unmachined

Soft annealed/Rough machined

mm	28	35	38,1	43	45	50,8	54	63,5	80	102	114,3	127	153	160	200	203
54		<input type="checkbox"/>														
57	<input type="checkbox"/>															
69		<input type="checkbox"/>		<input type="checkbox"/>												
80					<input type="checkbox"/>											
101,6									<input checked="" type="checkbox"/>							
108	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>			<input type="checkbox"/>									
127								<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
153						<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>						
166	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>			<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
203									<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						
210	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>			<input type="checkbox"/>	<input checked="" type="checkbox"/>								
254	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>			<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>
260							<input type="checkbox"/>									
280																<input checked="" type="checkbox"/>
305			<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>											
315						<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
356						<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>							
407								<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>
500								<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>				
600							<input checked="" type="checkbox"/>							<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	

Uddeholm Caldie Stock Standard

Square bar

Soft annealed/Unmachined □

Soft annealed/Rough machined ■

mm	54	86	100	125	160
	□	□	■	■	■

Round bar

Soft annealed/Unmachined ○

Soft annealed/Rough machined ●

mm	12,7	14	16	18	22	25,4	28	32	35	38	43	50,8	56	63	70	80	90
	○	○	○	○	○	○	○	○	○	○	○	●	●	●	●	●	●

mm	102	110	127	135	140	160	180	203	254	280	300	330	365	400	450
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

Uddeholm Caldie Stock Standard

Pre-machined

Tolerances: Thickness: +0.4/+0.65 mm Width: +0.4/+0.80 mm

Length: 1030 mm

Random length: 1800-2000 mm

mm	19.11	22.2	25	25.4	32	40	50	63	80
40									
50			▬						
63			▬		▬				
100			▬		▬	▬	▬		
160					▬	▬	▬		
200						▬			
250					▬	▬	▬		
254	<input type="checkbox"/>			<input type="checkbox"/>					
Square							■	■	■

Uddeholm Vanadis 4 Extra SuperClean Stock Standard

Flat bar

Soft annealed/Unmachined ☐

Soft annealed/Rough machined ▬

mm	12	15	18	22	28	35	38	41	43	50	54	63,5	67	76,2	80	90	100	102	127	153	160	200	
45					☐																		
57			☐		☐	☐		☐															
69						☐																	
86				☐	☐				☐		☐		☐										
108	☐	☐	☐	☐	☐	☐			☐		☐												
153												▬		▬						▬			
158								☐															
166					☐	☐			☐		☐												
203												▬		▬						▬		▬	
210					☐	☐			☐		☐												
250															▬							▬	
254												▬		▬						▬		▬	
260					☐	☐			☐		☐												
375								▬		▬		▬		▬		▬				▬			
400																							▬
470																				▬		▬	
550										▬								▬					

Uddeholm Vanadis 4 Extra SuperClean Stock Standard

Square bar

Soft annealed/Unmachined □

Soft annealed/Rough machined ■

mm	28	57	86	100	153
	□	□	□	■	■

Round bar

Soft annealed/Precision machined

Cold drawn fix length/Tolerance ISO h9

mm	4,3	5,3	6,3	7,3	8,3	10,3	11,3	13,3	15,0
	○	○	○	○	○	○	○	○	○

Round bar

Soft annealed/Rough machined

mm	12,7	16	18	20	23,5	25,4	28	32	35	38	40	46	50,8	57,2	60	63,5	65
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

70	76,2	80	85	90	95	102	110	115	120	127	130	140	153	160	180	190
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

mm	203	225	230	250	280	300	330	407	450	500
	●	●	●	●	●	●	●	●	●	●

Uddeholm Vanadis 4 Extra SuperClean Stock Standard

Plate

Width: 1,00-4,99 = 650 mm, 5,00-80,00 = 750 mm

Tolerance: -0/+200 mm

Length: random length mm

Soft annealed/Unmachined

Thickness, mm	3,78	4,56	5,2	9,2	13,3	16	18	21	28	34
	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

Pre-machined

Flat

Tolerances: Thickness: +0.4+0.65 mm Width: +0.4/+0.80 mm

Random length: 1800-2000 mm

Width mm	Thickness mm						
	10	16	20	25	32	40	50
50	☐	☐		☐			
100	☐	☐	☐	☐	☐	☐	☐
160				☐	☐	☐	☐
200				☐	☐	☐	☐
250				☐	☐		☐
Square				☐			☐

Uddeholm Vanadis 30 SuperClean Stock Standard

Flat bar

Soft annealed/Unmachined

Soft annealed/Rough machined

mm	10	15	20	22	30	35	43	50	54	55	75
45			<input type="checkbox"/>								
95											<input type="checkbox"/>
208				<input type="checkbox"/>	<input type="checkbox"/>						
210							<input type="checkbox"/>		<input type="checkbox"/>		
260						<input type="checkbox"/>	<input type="checkbox"/>				
380								<input checked="" type="checkbox"/>			

Square bar

Soft annealed/Unmachined

Soft annealed/Rough machined

mm	28	102
	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Uddeholm Vanadis 30 SuperClean Stock Standard

Round bar

Soft annealed/Precision machined

Cold drawn fix length

Tolerance ISO h9

mm	4,3	6,3	8,3	10,3	12,3	13,0	14,0	15,0
	●	●	●	●	●	●	●	●

Round bar

Soft annealed/Rough machined

mm	16	18	20	22	26	30	35	40	46	48	52	60	70	82,6	85	110	130	140	150	160	170	290	
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

Uddeholm Orvar 2M Stock Standard

Flat bar

Soft annealed/Machined

mm	50	63	76	80	90	102	127	153	180	203	254	305
153		—	—									
203	—	—	—		—	—	—					
254	—	—	—	—	—	—	—					
305	—	—	—		—	—	—	—				
350	—	—		—		—						
407						—	—	—	—	—		
457			—				—	—	—	—	—	
610				—	—	—	—	—	—	—	—	—

Round bar

Soft annealed/Machined

mm	80	85	90	102	110	115	120	127	140	153	160	170	180	185	191	195
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

mm	200	203	206	210	216	220	225	230	242	246	250	254	260	270	280	285
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

mm	300	305	312	315	320	325	330	343	350	360	380	390
	●	●	●	●	●	●	●	●	●	●	●	●

mm	400	407	420	425	430	450	460	470	483
	●	●	●	●	●	●	●	●	●

Uddeholm Orvar Supreme Stock Standard

Flat bar

Soft annealed/Unmachined ☐

Soft annealed/Machined ▬

mm	28	35	43	50	54	63	67	76,2	80	90	102	127	143	145	153	160	178	203	254	305	350	356	407	
57	☐																							
102								▬																
105	☐	☐	☐		☐		☐																	
125						▬																		
127								▬																
130	☐	☐	☐		☐																			
153								▬			▬	▬												
160						▬																		
165													▬											
166	☐	☐	☐		☐																			
191														▬										
200									▬															
203						▬		▬		▬	▬	▬												
206	☐	☐	☐		☐																			
250						▬			▬															
254								▬		▬	▬	▬			▬									
256			☐		☐																			
300				▬		▬			▬							▬								
305								▬			▬	▬			▬									
350				▬		▬										▬								
356											▬	▬												
400				▬		▬			▬							▬								
407								▬			▬	▬			▬		▬	▬						
450				▬		▬										▬								
457									▬	▬	▬						▬	▬	▬					
500																▬								
508								▬				▬			▬			▬	▬	▬			▬	
610											▬	▬			▬		▬	▬	▬	▬				

The stock standard might change without notice

Issue date
July, 2014
1 (2)

Uddeholm Orvar Supreme Stock Standard

762																		▬	▬		▬	▬
-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	---	--	---	---

Square bar

Soft annealed/Unmachined

Soft annealed/Machined

mm	57	69	102
	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Round bar

Soft annealed/Unmachined

Soft annealed/Machined

mm	10	12,7	16	20	22	25,4	28	32	35	38	41	43	45	48
	0	0	0	0	0	0	0	0	0	0	0	0	0	0

mm	50,8	55	57,2	60	63,5	70	76,2	82,6	90	95	102	105	115	127	140	153	160	170	180
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

mm	203	216	230	246	254	270	280	305	310	325	330	356	381	407	432	450	508	550
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

Soft annealed/Precision machined

mm	10	15	20	25	30
	●	●	●	●	●

The stock standard might change without notice

Issue date
July, 2014
2 (2)

Uddeholm Impax Supreme Stock Standard

Flat bar

Prehardened/rough machined

mm	56	63	80	102	136	153	156	196	203	246	346	496
246					-							
296								-				
300			-									
305				-								
346								-				
400		-										
496	-						-			-	-	
596					-		-	-				
610				-								
915						-			-			
1050											-	
1250												-

Square bar

Prehardened/rough machined

mm	100
	■

Rounds

Prehardened/unmachined ○

Prehardened/rough machined ●

mm	12,7	18	22	28	35	43	50,8	55	63,5	70	76,2	80	90	102	115	127	140	153	165	180
	○	○	○	○	○	○	●	●	●	●	●	●	●	●	●	●	●	●	●	●

mm	203	230	254	280	300	308	330	350	356	380	400	407	450	500	600	700	800
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

Uddeholm Impax Supreme Stock Standard

Plate

Prehardened/unmachined

Plate width: 2000 mm

mm	20	25	28	30	35	40	43	50	54	60	64	70	74	80	84	90	94
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

mm	100	105	110	115	120	127	130
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Uddeholm Stavax ESR Stock Standard

Flat bar

Soft annealed/Unmachined

mm	11	12,7	20	22	25	28	35	38,1	40	43	54
45	☐										
65							☐				
75			☐						☐		
85						☐					
90									☐		
102		☐						☐			
105						☐					
155				☐							
166						☐	☐			☐	☐
206						☐	☐			☐	☐
228					☐						
256						☐	☐			☐	☐
306										☐	

Uddeholm Stavax ESR Stock Standard

Flat bar

Soft annealed/Rough machined

mm	38	40	50	51	63	64	76,2	80	89	90	100	114	127	153	160	178	203	254
102				—														
153							—											
160					—													
200					—			—										
228			—															
250					—			—										
300								—							—			
305	—			—		—	—			—			—	—				
350		—	—		—			—			—							
400		—	—		—			—			—							
450		—						—										
457	—			—		—							—					
500		—	—		—			—										
508																		
600															—			
610							—		—			—	—	—			—	—
762	—						—									—		

Uddeholm Stavax ESR Stock Standard

Round bar

Soft annealed bar/Unmachined 0

Soft annealed bar/Rough machined ●

mm	12,7	16	20	28	35	40	41	43	50,8	57,2	63,5	76,2	80	90	102	115	127	140	153	160	180	203	230	254	
	0	0	0	0	0	●	0	0	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

Soft annealed/Precision machined

mm	10	30	45
	●	●	●

Square

Soft annealed/Unmachined

mm	57	75
	□	□

Uddeholm Stavax ESR Stock Standard

Pre-machined

Tolerances: Thickness: +0.4/+0.65 mm Width: +0.4/+0.8 mm

Length: 1030 mm

mm	30	40	50	60	80	100
100	☐	☐	☐	☐	☐	☐
125	☐	☐	☐	☐	☐	☐
160	☐	☐	☐	☐	☐	☐
200	☐	☐	☐	☐	☐	☐
250		☐	☐	☐	☐	☐
300		☐	☐	☐	☐	☐

Uddeholm Nimax Stock Standard

Flat bar

Rough machined

mm	80	100	116	120	156	196	246	254	296	346	396	496
400		—										
496			—			—	—					
596					—				—			
610								—				
710												—
796										—		
1013										—		
1050	—	—		—			—		—		—	—
1176									—			
1250					—						—	—

Uddeholm Nimax Stock Standard

Round bar

Unmachined ○

Rough machined ●

mm	25,4	28	35	43	50,8	63,5	76,2	90	102	115	127	153	180	200	230	280	300	330	350	
	●	○	○	○	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

mm	400	450	500	670	800
	●	●	●	●	●

Plate

Plate/unmachined □

mm	20	25,4	30	35	40	43	50,8	54	60	63	70
	□	□	□	□	□	□	□	□	□	□	□

Uddeholm Mirrax 40 Stock Standard

Flat bar

Prehardened/Unmachined □ / Rough machined ■

mm	30	80	90	100	102	120	140	200	250	350	356	450
250		■										
305					■							
256	□											
400				■			■	■				
610		■		■			■	■	■	■		■
762											■	
800		■		■			■					
1100			■			■		■				

Round bar

Prehardened/Unmachined ○/Rough machined ●

mm	30	50,8	60	90	102	110	127	140	180	210	254	305	350
	○	●	●	●	●	●	●	●	●	●	●	●	●